

TEST REPORT



E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #85261

Testing ordered > 26 SEP '25

Sample received > 22 OCT '25

Client CelluPep

Sample Retatrutide 10mg

Manufacturer www.CelluPep.com

Batch 2025/05

Sample description >

See picture or pictures attached.

Tests requested >

Assessment of a peptide vial or vials.

Results >



Retatrutide	10.25 mg
Purity	99.230%

Comments >

Analysis conducted > 29 OCT 2025

Signature >

A handwritten signature in black ink, appearing to be 'J. Janoshik'.

Verify this test at www.janoshik.com/verify/ with the following unique key

UBZHT4V8AQR4

TEST REPORT



E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #85264

Testing ordered > 26 SEP '25

Sample received > 22 OCT '25

Client CelluPep

Sample Retatrutide 20mg

Manufacturer www.CelluPep.com

Batch 2025/05

Sample description >

See picture or pictures attached.

Tests requested >

Assessment of a peptide vial or vials.

Results >



Retatrutide	21.64 mg
Purity	99.002%

Comments >

Analysis conducted > 29 OCT 2025

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

ZRNRLVSVQ58Y

Task Number #85265

Testing ordered > 26 SEP '25

Sample received > 22 OCT '25

Client CelluPep

Sample Retatrutide 30mg

Manufacturer www.CelluPep.com

Batch 2025/08

Sample description >

See picture or pictures attached.

Tests requested >

Assessment of a peptide vial or vials.

Results >



Retatrutide	29.53 mg
Purity	99.461%

Comments >

Analysis conducted > 29 OCT 2025

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

TGTUP6BYBJEF

Certificate of Analysis

Peptide Test - powered by TrustPointe
Fast, Clear, Reliable Results
For Informed Decisions
www.peptidetest.com



Verify at TrustPointeLIMS.com
Key=ZPE5LOYJ461D

PEPTIDE TEST



Publish Date:	2025-10-07
Client & Sample ID:	Cdzzayy Retatrutide
Sample Name & Mfg:	Retatrutide 15mg 1 Vial Cellu pep
Photo of Sample:	

Results

Sample ID	SPL-1944
TM-1004 Assay	18.026 mg
TM-1004 Purity	99.939 %
TM-1004 ID by RT	1.00
TM-1004 ID by Spectral	1000
TM-1004 Coelution	1000
TM-1004 System Suit	0.6 %RSD

Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Certificate of Analysis

Peptide Test - powered by TrustPointe
Fast, Clear, Reliable Results
For Informed Decisions
www.peptidetest.com



Verify at TrustPointeLIMS.com
Key=LM3N3R2YKPTU

PEPTIDE TEST



Publish Date: 2026-01-06

Client & Sample ID: Anonymous ; Reta30

Sample Name & Mfg: Retatrutide 30mg 1 Vial CellUPep

Photo of Sample:



Results

Sample ID	SPL-2730
TM-1004 Assay	34.596 mg
TM-1004 Purity	99.803 %
TM-1004 ID by RT	1.00
TM-1004 ID by Spectral	1000
TM-1004 Coelution	1000
TM-1004 System Suit	0.9 %RSD

Created by

Ashlee Lust
President

Reviewed by


Joshua Lust
Managing Director

Sample Potency and ID Report

Sequence Name 1004_hmp_010526

Sequence Acquired Date 2026-01-05 14:02:24-05:00

Overlay Chromatogram



Potency and ID Results

Sample Name	Name	RT	Area	Multiplier	Amount	Unit	UV Match Factor	Peak Purity
Retatrutide Std - 1	Retatrutide	6.191	578.3	1;1;1;1;1	8.97	%	1000	1000
Retatrutide Std - 2	Retatrutide	6.199	586.9	1;1;1;1;1	9.11	%	1000	1000
Retatrutide Std - 3	Retatrutide	6.168	580.2	1;1;1;1;1	9.00	%	1000	1000
Retatrutide Std - 4	Retatrutide	6.168	587.4	1;1;1;1;1	9.12	%	1000	1000
Retatrutide Std - 5	Retatrutide	6.148	575.7	1;1;1;1;1	8.93	%	1000	1000
Sample ID SPL-2691	Retatrutide	6.164	725.9	10;1;1;1;1	112.66	%	1000	1000
Sample ID SPL-2695	Retatrutide	6.147	723.9	10;1;1;1;1	112.35	%	1000	1000
Sample ID SPL-2709	Retatrutide	6.145	939.7	8.33333;1;1;1;1	121.52	%	1000	1000
Sample ID SPL-2705	Retatrutide	6.150	772.1	8.33333;1;1;1;1	99.85	%	1000	1000
Sample ID SPL-2705-S01	Retatrutide	6.144	767.8	8.33333;1;1;1;1	99.29	%	1000	1000
Sample ID SPL-2721	Retatrutide	6.118	688.6	10;1;1;1;1	106.86	%	1000	1000
Sample ID SPL-2721-S01	Retatrutide	6.135	691.0	10;1;1;1;1	107.23	%	1000	1000